

Class Weighting Approach for Handling Imbalanced Data on Forest Fire Classification Using EfficientNet-B1

Arvinanto Bahtiar ^{(1)*}, Muhammad Ihsan Prawira Hutomo ⁽²⁾, Agung Widiyanto ⁽³⁾, Siti Khomsah ⁽⁴⁾

Department of Data Science, Universitas Telkom Purwokerto, Purwokerto, Indonesia
e-mail : {arvinanto,muhammadihsanprawira,agungwdyy}@student.telkomuniversity.ac.id,
sitijk@telkomuniversity.ac.id.

* Corresponding author.

This article was submitted on 20 October 2024, revised on 6 November 2024, accepted on 7 November 2024, and published on 31 January 2025.

Abstract

Wildfires pose a threat to ecosystems and human safety, necessitating the development of effective monitoring techniques. Detecting forest fires based on images of forest conditions could be a breakthrough. However, the model built from imbalanced data yields low accuracy. This research addresses the challenge of class imbalance in multiclass classification for forest fire detection using the EfficientNet-B1 model. This research examines the implementation of class weighting to improve model performance, with a particular focus on minority classes, specifically Fire and Smoke. A dataset of 7,331 training images was categorized into four classes. The results showed that employing the class weighting method achieved an accuracy of 90%. The training duration of 14 minutes and 45 seconds outperforms the data augmentation method in terms of time efficiency. This study contributes to the development of more effective methods for forest fire monitoring and provides insights for future research in machine learning applications in environmental contexts.

Keywords: Image Classification, Imbalanced Data, EfficientNet-B1, Forest Fire Detection

Abstrak

Kebakaran hutan menimbulkan ancaman besar terhadap ekosistem dan keselamatan manusia sehingga memerlukan teknik pemantauan yang efektif. Mendeteksi kebakaran hutan berdasarkan gambaran kondisi hutan bisa menjadi sebuah terobosan. Namun, model yang dibangun dari data yang tidak seimbang menyebabkan akurasi yang rendah. Penelitian ini bertujuan mengatasi ketidakseimbangan kelas dalam klasifikasi citra multi-kelas untuk deteksi kebakaran hutan menggunakan model EfficientNet-B1. Penerapan metode *Class Weighting* bertujuan meningkatkan kinerja model pada data tidak seimbang ini, terutama berfokus pada kelas minoritas yaitu kelas "Api" dan kelas "Asap". Eksperimen ini menggunakan dataset terdiri 7,331 gambar untuk data pelatihan, yang dikategorikan ke dalam empat kelas. Hasil penelitian menunjukkan bahwa metode *Class Weighting* mencapai akurasi 90%. Sedangkan durasi pelatihan hanya memerlukan waktu 14 menit dan 45 detik, ini mengungguli metode augmentasi data dalam hal efisiensi waktu. Hasil penelitian ini berkontribusi pada pengembangan metode yang lebih efektif untuk pemantauan kebakaran hutan dan memberikan wawasan untuk penelitian di masa depan dalam aplikasi pembelajaran mesin dalam konteks lingkungan.

Kata Kunci: Klasifikasi Gambar, Data Tidak Seimbang, EfficientNet-B1, Kebakaran Hutan

1. INTRODUCTION

In recent years, climate change and human-induced factors have had a significant impact on the environment. These events include heatwaves, droughts, dust storms, floods, hurricanes, and wildfires (Barmpoutis et al., 2020). Wildfires have a severe impact on local and global ecosystems, resulting in significant damage to infrastructure, injuries, and loss of human life. Wildfires can be sparked by various human activities, including campfires, burning debris, unattended flames, smoking, the careless disposal of lit cigarettes, and natural causes like lightning (Chaturvedi et al., 2022). As a result, detecting fires and precisely monitoring type, size, and impact of disturbances across large areas are becoming increasingly crucial (Tanase et al., 2018). Today,



This article is distributed following Attribution-NonCommercial CC BY-NC as stated on <https://creativecommons.org/licenses/by-nc/4.0/>.

technology for detecting forest fires has advanced significantly, thanks to the use of satellites, drones, and advanced sensors. The use of deep learning methods is one such advancement towards detecting forest fires (Madhuri et al., 2024). Image-based monitoring technology offers a promising solution for automating the identification of fires and smoke through digital image processing. Multiclass image classification is crucial for distinguishing between various objects and conditions associated with wildfires. Therefore, developing accurate and efficient classification models can significantly contribute to disaster mitigation efforts.

Deep neural network models, such as EfficientNet-B1, have demonstrated outstanding performance in various image classification tasks (Frederich et al., 2024; Islam et al., 2024). EfficientNet is an innovation in network architecture that optimizes the model's scale to achieve a balance between accuracy and computational efficiency (Raza et al., 2023). By utilizing intelligent scaling techniques, EfficientNet-B1 can better identify patterns in imagery compared to other model architectures, as it employs Compound Scaling, which scales all three dimensions depth, width, and image resolution simultaneously while maintaining this balance across the network (Papoutsis et al., 2023). This is especially important in forest fire monitoring, where the speed and accuracy of detection can be the difference between successful prevention and widespread damage. However, despite the great potential of these models, the challenges faced in multiclass classification often relate to class imbalance in the training data. Therefore, approaches are needed to ensure that all classes, including underrepresented classes, are well-learned by the model (Dogra et al., 2022; Rodríguez et al., 2020; Tanveer et al., 2021).

One approach that can address the problem of class imbalance is the application of class weights (Benkendorf et al., 2023). By assigning higher weights to underrepresented classes, the model can be trained to focus more on patterns within those classes. By assigning higher weights to underrepresented classes, the model can be trained to focus more on patterns within those classes. This not only improves accuracy for the minority class but also helps prevent the model from being biased towards the majority class (De-Angeli et al., 2022). Numerous studies have shown that class weights can improve model performance in multiclass classification, particularly when the dataset is imbalanced (Fan et al., 2022; Zhao et al., 2020). In the context of forest fires, where images from the fire class may be much fewer than other classes, the application of class weights becomes especially relevant. Thus, this study aims to explore the implementation of class weights in multiclass image classification for forest fires and smoke.

In this study, we will analyze the effect of applying class weights on the performance of the EfficientNet-B1 model in detecting and classifying images of forest fires and smoke. We will also compare the results obtained from the model using class weights with those from the model that uses data augmentation to address the issue of imbalanced data. The evaluation method will encompass various metrics, including accuracy, precision, recall, and F1-score, to provide a comprehensive assessment of the model's performance. In addition, experiments will be conducted on a dataset of forest fire and smoke images collected from various sources to ensure diversity and representativeness. Through this analysis, we aim to offer deeper insights into how class weights can enhance classification performance in this context. The results of this study are expected to contribute to the development of a more effective fire monitoring system.

The results of this study will provide a stronger foundation for developing more accurate and efficient forest fire monitoring applications. Additionally, this study is expected to be of interest to researchers and practitioners who apply class weight techniques to other image classification tasks. With the increasing need for effective early detection systems, it is important to explore various approaches that can improve model accuracy and efficiency (Cremen & Galasso, 2020). This study can also open up opportunities for further research on the application of machine learning techniques in environmental and disaster mitigation contexts. We hope this is relevant to forest fires and can also be applied in other image classification contexts that face similar challenges. Thus, this study can contribute to global efforts in addressing the problem of forest fires and their environmental impacts.



2. METHODS

This research employs a method framework named CRISP-DM (Cross-Industry Standard Process for Data Mining). The CRISP-DM methodology provides a structured and widely accepted framework for data mining projects, comprising six key phases: business understanding, data understanding, data preparation, modeling, evaluation, and deployment. It is known for offering a well-organized yet adaptable approach to conducting data-driven projects (Elkabalawy et al., 2024). Adopting the CRISP-DM methodology for this image classification of a forest fire dataset ensures that the solution developed will be robust and efficient. By following this structured framework, each phase of the project, from understanding the problem to model deployment, will be systematically addressed to provide the best results and solutions for the forest fire multiclass classification problem. The steps of our research are illustrated in Figure 1.




Figure 1 Research Workflow Chart

2.1 Dataset

The dataset used in this research was sourced from the Big Data Competition 2024, organized by the Statistics Department of Syiah Kuala University, and can be accessed on the Kaggle website (Bahtiar, 2024). The dataset is divided into two subsets: training and testing. The training set contains 7,331 images in .jpg format, while the testing set contains 543 images. The 7,331 training images are categorized into four classes with uneven distribution: 3,083 images in the “None” class, 1,230 in the “Fire” class, 303 in the “Smoke” class, and 2,715 in the “Fire and Smoke” class. Figure 2 shows representative samples from each class, illustrating the distinct visual characteristics that the model must learn to differentiate.



Figure 2 Sample of Each Class

To facilitate model evaluation, 20% of the training data was set aside as a validation set. The class distribution within the validation set comprises 619 images labeled as “None”, 224 images labeled as “Fire”, 67 images labeled as “Smoke”, and 556 images labeled as “Fire and Smoke”. This split ensures that the model is evaluated using a representative portion of the dataset across all classes.

2.2 Problem Understanding

The increasing frequency of extreme wildfires, characterized by their large scale, prolonged duration, high intensity, and severe consequences, has substantially negative effects on human health and well-being, ecosystems, the climate, and the global economy. In recent years, these extreme wildfire events have been particularly destructive (OECD, 2023). For instance, the 2015



wildfires in Indonesia resulted in an estimated economic loss of approximately USD 16 billion, equivalent to 2% of the nation's gross domestic product (GDP).

This research aims to achieve efficient and high-performing image multiclass classification. However, the dataset used in this study presents a significant challenge in achieving this goal, namely, imbalanced data. This problem arises from an uneven distribution of target classes in the dataset, causing the model to favor the majority class while neglecting the minority classes (Bader et al., 2024a). In our case, the “fire” and “smoke” classes are the minority classes, with a significant disparity in their distribution compared to the other classes.

2.3 Data Preprocessing

Figure 3 illustrates the data preprocessing workflow using the class weighting approach. This method is based on applying class weights, which penalize the algorithm more heavily for incorrect predictions by assigning higher penalties for misclassifying the minority class (Bader et al., 2024a). Figure 4 presents the data preprocessing workflow using the data augmentation approach, which will be used to compare the performance of our primary approach, class weighting. Data augmentation methods mitigate challenges related to small datasets by artificially expanding their size and variety, ultimately improving model accuracy and generalization (Gracia Moisés et al., 2023a).




Figure 3 Class Weight Approach




Figure 4 Data Augmentation Approach

Table 1 presents the detailed parameters and values used in the image processing steps illustrated in the flow diagrams of both approaches, as shown in Figures 3 and 4. Table 2 presents the detailed parameters and values of the augmentations applied to the minority classes, “fire” and “smoke,” during the image transformation process, as shown in Figure 4. The transformations included random rotations, translations, scaling, and shearing using RandomAffine, along with perspective distortions with RandomPerspective, to create new variations of the images artificially.



Table 1 Image Preprocessing Details

Parameter	Value
Resize	(224,224)
Normalize	mean=[0.485, 0.456, 0.406],

Table 2 Data Augmentation Details

Parameter	Value
RandomRotation	20
RandomPerspective	distortion_scale=0.2, p=0.5
RandomAffine	degrees=0, translate=(0.1, 0.1)

2.4 Data Augmentation

In the problem of forest fire image classification, data augmentation is a crucial technique used to address the challenge of limited and imbalanced datasets. Given the variability in environmental conditions, such as lighting, smoke, and fire intensity, obtaining a sufficiently large and diverse dataset can be challenging. Data augmentation helps by artificially increasing the size of the training dataset through transformations like rotations, flips, brightness adjustments, and noise additions. These variations make the model more robust to various real-world scenarios, thereby improving its ability to classify images accurately, especially in challenging conditions (Chlap et al., 2021).

2.5 Class Weight

Class weight is a process used to address the problem of class imbalance in image segmentation and classification tasks, where certain classes, such as those of interest, have significantly fewer examples than others. This imbalance can lead to models, especially Convolutional Neural Networks (CNNs), becoming biased towards the majority class, resulting in poor performance for the minority class. For instance, medical applications like tumor segmentation aim to make the model more sensitive to the lesion class, ensuring that critical regions, such as tumors, are accurately detected. (Ben-Naceur et al., 2019).

In our forest fire classification task, where we aim to categorize images into “None,” “Fire,” “Smoke,” and “Fire and Smoke” categories, we face a similar challenge. The “Smoke” and “Fire” classes are underrepresented compared to the “None” and “Fire and Smoke” classes, leading to an imbalance that could cause the model to underperform in detecting fire and smoke conditions, which are crucial for wildfire management. By using a class-weighting strategy, such as the one based on the Weighted Cross-Entropy function, we can assign higher weights to the minority classes (e.g., “Smoke” and “Fire”), helping the model to focus more on these underrepresented categories during training. This approach could enhance the model’s sensitivity in detecting fire and smoke, much like it effectively improved the segmentation of Glioblastoma tumors in medical applications, ensuring better detection of critical regions (Ben-Naceur et al., 2019).

The balanced class weight method that we used can be explained by Eq. (1) (Bakirarar & Elhan, 2023). In this formula, N represents the total number of samples in the dataset, $Class$ is the total number of unique classes, and $Sample_{class}$ is the number of samples in the respective class. By dividing the dataset size by the product of the total classes and the sample count for a given class, this method assigns higher weights to minority classes and lower weights to majority classes. This approach ensures that the training process does not disproportionately favor the majority class, thereby improving the model’s ability to generalize and recognize patterns across all classes, including underrepresented ones, effectively.

$$W = \frac{N}{(class * sample)} \quad (1)$$



2.6 Modelling

Convolutional Neural Networks (CNNs) are a powerful deep learning model specifically designed for processing visual data, such as images. Widely used for image recognition and classification tasks, CNNs excel in automatically learning spatial hierarchies of features from input data. In the study conducted by Nayak et al. (2022), a CNN-based architecture called dense EfficientNet was employed to classify 3,260 T1-weighted contrast-enhanced brain magnetic resonance images into four categories: glioma, meningioma, pituitary, and no tumor (Nayak et al., 2022). The EfficientNet architecture utilizes Inverted Residual Blocks (MBConv), similar to MobileNetV2's core building blocks. Unlike traditional CNNs, which require manual adjustments across three dimensions—depth, width, and resolution—EfficientNet employs a compound scaling approach to scale these parameters together.

Additionally, it replaces the conventional ReLU activation function with the Swish activation function, which combines linear and sigmoid components. The input image is resized to 224 × 224 to match the standard input dimensions of CNN models (Ab Wahab et al., 2021). The entire EfficientNet architecture is illustrated in Figure 5.




Figure 5 Architecture of EfficientNet-B1

2.7 Model Evaluation

Model evaluation is a critical process in machine learning that involves assessing the performance of a trained model using specific metrics to determine its effectiveness in making predictions. In multiclass classification, the accuracy metric is commonly used to quantify how well the model predicts the correct classes across various categories. Chen et al. (2021) highlight that maximizing training accuracy on a sufficient number of noisy samples can lead to an approximately optimal classifier even under class-conditional label noise. This finding underscores the importance of accuracy as a reliable metric for training and validation, as a noisy validation set can still provide valuable insights for model selection, including hyperparameter tuning and early stopping. By validating model performance using a noisy dataset, practitioners can achieve robust model evaluation, ensuring that the model is accurate and generalizable despite label noise (Chen et al., 2021).

This study used Accuracy (Acc) and F1-score (F1) as the primary metrics for evaluating the model. Accuracy measures the overall correctness of the model's predictions across the dataset. The F1-score, considering both precision and recall, provides a comprehensive assessment of the model's performance, especially in situations where the dataset contains uneven class distributions (Xiao et al., 2024). Accuracy (Acc) is the ratio of correctly predicted instances to the total number of instances in the dataset. In the context of multiclass classification, accuracy evaluates the percentage of correctly classified images across all classes. The equation for accuracy is given by Eq. (2).

$$Accuracy = \frac{\text{Correct Predictions}}{\text{Total Number of Predictions}} = \frac{TP + TN}{TP + TN + FP + FN} \quad (2)$$



F1-score (F1) combines both precision (the ability of the model to identify positive instances) and recall (the ability of the model to detect all relevant positive instances). The F1-score is defined as the harmonic mean of precision and recall, making it useful for assessing the performance of minority classes. The formulas for F1-score in Eq. (3), precision in Eq. (4), and recall in Eq. (5).

$$F1 - Score = 2 \frac{Precision \cdot Recall}{Precision + Recall} \quad (3)$$

$$Precision = \frac{TP}{TP + FP} \quad (4)$$

$$Recall = \frac{TP}{TP + FN} \quad (5)$$

3. RESULTS AND DISCUSSION

This section systematically outlines the model training process using the EfficientNet-B1 architecture, which was optimized to achieve high accuracy with efficient computation. The training process involved fine-tuning all layers of the model architecture to maximize accuracy. A total of 20 epochs were conducted to gather sufficient information for evaluating and optimizing the model's performance. The evaluation used a validation dataset to assess the model's ability to classify unseen images. This validation process was conducted at each epoch to monitor the model's accuracy throughout the training phase.

3.1 Training Process

Figure 6 shows the accuracy and loss throughout each epoch of the training process using the class weight method. The training accuracy consistently improves with each epoch, showing continuous growth until epoch 10. Beyond this point, up to epoch 20, there is no further improvement, indicating that the model has likely reached its peak accuracy. The model begins to stabilize in terms of validation accuracy, reaching its highest accuracy within the range of 0.88 to 0.90, starting from epoch six and continuing through epoch 20, with only slight fluctuations observed during this period.




Figure 6 Loss and Accuracy of Model with Class Weight

Figure 7 illustrates the accuracy and loss throughout each epoch of the training process, utilizing the data augmentation method. The overall training accuracy does not differ significantly from the class weight method shown in Figure 6. However, there is a noticeable difference in the loss, with lower values ranging from 0.30 to 0.35 and smaller fluctuations. This suggests that the model, when using the augmentation method, is slightly better at addressing overfitting than the class weight method. However, the validation accuracy remains similar, consistently around 0.90.






Figure 7 Loss and Accuracy of Model with Data Augmentation

However, aside from the accuracy and loss results of both methods, the class weight method demonstrates significantly better resource and time efficiency during the training process compared to the data augmentation method. This is also quite reasonable, as the data augmentation method increases the data for the minority classes, requiring the model to train on a larger dataset. As shown in Table 3, both methods were trained using the same T4 x2 GPUs and the same model, EfficientNet-B1.

Table 3 Model Training Time with Two Different Approaches

Methods	Training Time
Class Weight	14m 45s
Data Augmentation	33m 25s

3.2 Evaluation

Table 4 presents the model evaluation results using two different methods, measured by precision, recall, F1-score, and accuracy. The evaluation results are derived from the best model state, based on the highest validation accuracy achieved during the training process, as shown in Figures 6 and 7. The evaluation results show no significant differences between the two methods across various metrics and classes, achieving the same accuracy of 0.90. These findings demonstrate that the class weight method, utilizing the EfficientNet-B1 model on an imbalanced forest fire dataset, can achieve comparable performance to the data augmentation approach for handling class imbalance, while requiring approximately 56% less training time than the augmentation method, as shown in Table 3.

Table 4 EfficientNet-B1 Model Evaluation Result

	Precision		Recall		F1-Score	
	Class Weight	Data Augmentation	Class Weight	Data Augmentation	Class Weight	Data Augmentation
None	1.00	0.99	0.99	1.00	0.99	0.99
Fire	0.72	0.75	0.80	0.75	0.76	0.75
Smoke	0.72	0.81	0.76	0.72	0.74	0.76
Smoke and Fire	0.89	0.87	0.85	0.88	0.87	0.88
Accuracy					0.90	0.90

3.3 Performance Comparison with Other Models

To further assess the performance of EfficientNet-B1 in this study, we compared it to two other popular deep learning architectures, VGG-16 and ResNet50. Both models are widely used for image classification and are often benchmarked in various domains for their strong baseline performances. Each model was trained and evaluated on the same dataset, under the same



configuration and class weighting method as applied in the EfficientNet-B1 training process, to ensure a fair comparison. Tables 5 and 6 present the classification reports for VGG-16 and ResNet-50, respectively, facilitating a direct comparison with the results from EfficientNet-B1 in Table 4.

Table 5 VGG-16 Model Evaluation Result

	Precision	Recall	F1-Score
None	0.98	0.98	0.98
Fire	0.52	0.79	0.63
Smoke	0.58	0.78	0.66
Smoke and Fire	0.87	0.65	0.75
Accuracy			0.82

Table 5 shows that VGG-16 achieves an overall accuracy of 0.82, with relatively high precision and recall for the “None” class but lower performance in distinguishing between “Fire” and “Smoke” classes. The model struggles to balance precision and recall for the “Fire” and “Smoke and Fire” categories, which are crucial for accurate identification.

Table 6 ResNet50 Model Evaluation Result

	Precision	Recall	F1-Score
None	1.00	0.99	0.99
Fire	0.70	0.74	0.72
Smoke	0.76	0.76	0.76
Smoke and Fire	0.87	0.85	0.86
Accuracy			0.89

Table 6 indicates that ResNet50 performs better than VGG-16, with an accuracy of 0.89. ResNet50 shows high precision and recall for the “None” and “Smoke” classes, but its F1-score for “Fire” remains slightly lower than desired. Overall, ResNet50 results are better than VGG-16, especially in the “Smoke and Fire” class, where it achieves an F1-score of 0.86.

In contrast, EfficientNet-B1 at Table 4 achieves the highest accuracy at 0.90, with consistently high precision and recall across all classes, particularly excelling in distinguishing “Fire” and “Smoke” events, with F1-scores of 0.76 and 0.74, respectively. The balanced performance across classes, coupled with the efficient training time, suggests that EfficientNet-B1 is the best-performing model for this dataset. The EfficientNet-B1’s superior performance can be attributed to its optimized architecture, which balances depth, width, and resolution, making it particularly suitable for complex multiclass classification tasks, such as the one in this study. In conclusion, the comparison demonstrates that EfficientNet-B1 outperforms VGG-16 and ResNet-50, proving to be the most effective model for achieving the highest accuracy in this case.

4. CONCLUSIONS

Implementing the class weight method in the EfficientNet-B1 model architecture successfully produced a successful classification model for the forest fire dataset, achieving a test accuracy of 90% within a training duration of just 14 minutes and 45 seconds. The evaluation results indicate the superiority of this class weight method in generating accurate outputs, effectively handling data imbalance during predictions, and maintaining high training efficiency. Future research could further explore alternative model architectures, such as ResNext, MobileNet, and DenseNet, to achieve even higher accuracy scores while improving computational efficiency. Additionally, future research may investigate other class weight methods beyond the balanced weight approach employed in this research, such as the Inverse of Number of Samples (INS) and Inverse of Square Root of Number of Samples (ISNS).



REFERENCES

- Wahab, M. N. A., Nazir, A., Ren, A. T. Z., Noor, M. H. M., Akbar, M. F., & Mohamed, A. S. A. (2021). EfficientNet-Lite and Hybrid CNN-KNN Implementation for Facial Expression Recognition on Raspberry Pi. *IEEE Access*, 9, 134065–134080. <https://doi.org/10.1109/ACCESS.2021.3113337>
- Bader, M., Abdelwanis, M., Maalouf, M., & Jelinek, H. F. (2024). Detecting Depression Severity Using Weighted Random Forest and Oxidative Stress Biomarkers. *Scientific Reports*, 14(1), 16328. <https://doi.org/10.1038/s41598-024-67251-y>
- Bakirarar, B., & Elhan, A. H. (2023). Class Weighting Technique to Deal with Imbalanced Class Problem in Machine Learning: Methodological Research. *Turkiye Klinikleri Journal of Biostatistics*, 15(1), 19–29. <https://doi.org/10.5336/biostatic.2022-93961>
- Barmpoutis, P., Papaioannou, P., Dimitropoulos, K., & Grammalidis, N. (2020). A Review on Early Forest Fire Detection Systems Using Optical Remote Sensing. *Sensors*, 20(22), 6442. <https://doi.org/10.3390/s20226442>
- Ben-Naceur, M., Kachouri, R., Akil, M., & Saouli, R. (2019). A New Online Class-Weighting Approach with Deep Neural Networks for Image Segmentation of Highly Unbalanced Glioblastoma Tumors. *International Work-Conference on Artificial Neural Networks*, 1150, 555–567. https://doi.org/10.1007/978-3-030-20518-8_46
- Benkendorf, D. J., Schwartz, S. D., Cutler, D. R., & Hawkins, C. P. (2023). Correcting for the Effects of Class Imbalance Improves the Performance of Machine-Learning Based Species Distribution Models. *Ecological Modelling*, 483, 110414. <https://doi.org/10.1016/j.ecolmodel.2023.110414>
- Chaturvedi, S., Khanna, P., & Ojha, A. (2022). A Survey on Vision-Based Outdoor Smoke Detection Techniques for Environmental Safety. *ISPRS Journal of Photogrammetry and Remote Sensing*, 185, 158–187. <https://doi.org/10.1016/j.isprsjprs.2022.01.013>
- Chen, P., Ye, J., Chen, G., Zhao, J., & Heng, P. A. (2021). Robustness of Accuracy Metric and its Inspirations in Learning with Noisy Labels. *Proceedings of the AAAI Conference on Artificial Intelligence*, 35(13), 11451–11461. <https://doi.org/10.1609/aaai.v35i13.17364>
- Chlap, P., Min, H., Vandenberg, N., Dowling, J., Holloway, L., & Haworth, A. (2021). A Review of Medical Image Data Augmentation Techniques for Deep Learning Applications. *Journal of Medical Imaging and Radiation Oncology*, 65(5), 545–563. <https://doi.org/10.1111/1754-9485.13261>
- Cremen, G., & Galasso, C. (2020). Earthquake Early Warning: Recent Advances and Perspectives. *Earth-Science Reviews*, 205, 103184. <https://doi.org/10.1016/j.earscirev.2020.103184>
- De-Angeli, K., Gao, S., Danciu, I., Durbin, E. B., Wu, X. C., Stroup, A., Doherty, J., Schwartz, S., Wiggins, C., Damesyn, M., Coyle, L., Penberthy, L., Tourassi, G. D., & Yoon, H. J. (2022). Class Imbalance in Out-of-Distribution Datasets: Improving the Robustness of the TextCNN for the Classification of Rare Cancer Types. *Journal of Biomedical Informatics*, 125, 103957. <https://doi.org/10.1016/j.jbi.2021.103957>
- Dogra, V., Verma, S., Verma, K., Jhanjhi, N., Ghosh, U., & Le, D.-N. (2022). A Comparative Analysis of Machine Learning Models for Banking News Extraction by Multiclass Classification with Imbalanced Datasets of Financial News: Challenges and Solutions. *International Journal of Interactive Multimedia and Artificial Intelligence*, 7(3), 35. <https://doi.org/10.9781/ijimai.2022.02.002>
- Elkabalawy, M., Al-Sakkaf, A., Abdelkader, E. M., & Alfalah, G. (2024). CRISP-DM-Based Data-Driven Approach for Building Energy Prediction Utilizing Indoor and Environmental Factors. *Sustainability*, 16(17), 7249. <https://doi.org/10.3390/su16177249>
- Fan, W., Si, Y., Yang, W., & Sun, M. (2022). Class-Specific Weighted Broad Learning System for Imbalanced Heartbeat Classification. *Information Sciences*, 610, 525–548. <https://doi.org/10.1016/j.ins.2022.07.074>
- Frederich, J., Himawan, J., & Rizkinia, M. (2024). Skin Lesion Classification Using EfficientNet B0 and B1 via Transfer Learning for Computer Aided Diagnosis. *AIP Conference Proceedings*, 3080(1), 110002. <https://doi.org/10.1063/5.0200741>



- Moisés, A. G., Pascual, I. V., González, J. J. I., & Zamarreño, C. R. (2023). Data Augmentation Techniques for Machine Learning Applied to Optical Spectroscopy Datasets in Agrifood Applications: A Comprehensive Review. *Sensors*, 23(20), 8562. <https://doi.org/10.3390/s23208562>
- Islam, Md. S. Bin, Sumon, Md. S. I., Sarmun, R., Bhuiyan, E. H., & Chowdhury, M. E. H. (2024). Classification and Segmentation of Kidney MRI Images for Chronic Kidney Disease Detection. *Computers and Electrical Engineering*, 119, 109613. <https://doi.org/10.1016/j.compeleceng.2024.109613>
- Madhuri, C. R., Jandhyala, S. S., Ravuri, D. M., & Babu, V. D. (2024). Accurate Classification of Forest Fires in Aerial Images Using Ensemble Model. *Bulletin of Electrical Engineering and Informatics*, 13(4), 2650–2658. <https://doi.org/10.11591/eei.v13i4.6527>
- Nayak, D. R., Padhy, N., Mallick, P. K., Zymbler, M., & Kumar, S. (2022). Brain Tumor Classification Using Dense Efficient-Net. *Axioms*, 11(1), 34. <https://doi.org/10.3390/axioms11010034>
- OECD. (2023). *Taming Wildfires in the Context of Climate Change*. OECD Publishing. <https://doi.org/10.1787/dd00c367-en>
- Papoutsis, I., Bountos, N. I., Zavras, A., Michail, D., & Tryfonopoulos, C. (2023). Benchmarking and Scaling of Deep Learning Models for Land Cover Image Classification. *ISPRS Journal of Photogrammetry and Remote Sensing*, 195, 250–268. <https://doi.org/10.1016/j.isprsjprs.2022.11.012>
- Raza, R., Zulfiqar, F., Khan, M. O., Arif, M., Alvi, A., Iftikhar, M. A., & Alam, T. (2023). Lung-EffNet: Lung Cancer Classification Using EfficientNet from CT-Scan Images. *Engineering Applications of Artificial Intelligence*, 126, 106902. <https://doi.org/10.1016/j.engappai.2023.106902>
- Rodríguez, J. J., Díez-Pastor, J. F., Arnaiz-González, Á., & Kuncheva, L. I. (2020). Random Balance Ensembles for Multiclass Imbalance Learning. *Knowledge-Based Systems*, 193, 105434. <https://doi.org/10.1016/j.knosys.2019.105434>
- Tanase, M. A., Aponte, C., Mermoz, S., Bouvet, A., Le Toan, T., & Heurich, M. (2018). Detection of Windthrows and Insect Outbreaks by L-Band SAR: A Case Study in the Bavarian Forest National Park. *Remote Sensing of Environment*, 209, 700–711. <https://doi.org/10.1016/j.rse.2018.03.009>
- Tanveer, M., Sharma, A., & Suganthan, P. N. (2021). Least Squares KNN-Based Weighted Multiclass Twin SVM. *Neurocomputing*, 459, 454–464. <https://doi.org/10.1016/j.neucom.2020.02.132>
- Xiao, Y., Zhao, J., Yu, Y., Ding, X., Liu, S., Bao, W., Wen, S., & Zhou, X. (2024). SimpleCNN-UNet: An Optic Disc Image Segmentation Network Based on Efficient Small-Kernel Convolutions. *Expert Systems with Applications*, 256, 124935. <https://doi.org/10.1016/j.eswa.2024.124935>
- Zhao, J., Jin, J., Chen, S., Zhang, R., Yu, B., & Liu, Q. (2020). A Weighted Hybrid Ensemble Method for Classifying Imbalanced Data. *Knowledge-Based Systems*, 203, 106087. <https://doi.org/10.1016/j.knosys.2020.106087>

